



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE **AT3110000**
SITENAME **Ettenau**

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS AND RELATION WITH CORINE BIOTOPES](#)
- [6. IMPACTS AND ACTIVITIES IN AND AROUND THE SITE](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

1.1 Type C	1.2 Site code AT3110000
----------------------	-----------------------------------

1.3 Site name

Ettenau

1.4 First Compilation date 1997-12	1.5 Update date 2015-07
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	
Address:	Amt der Oö.Landesregierung, Abteilung Naturschutz Bahnhofplatz 1 A-4021 Linz
Email:	

1.7 Site indication and designation / classification dates

Date site classified as SPA:	1997-12
National legal reference of SPA designation	LGBl.Nr. 50/2011

Date site proposed as SCI:	1997-12
Date site confirmed as SCI:	No data
Date site designated as SAC:	2011-06
National legal reference of SAC designation:	LGBl.Nr. 50/2011

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)
Longitude

12.7917

Latitude

48.0569

2.2 Area [ha]:

625.0

2.3 Marine area [%]
2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code
Region Name

AT31	Oberösterreich
------	----------------

2.6 Biogeographical Region(s)

Continental (100.0%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3130			2.4		G	B	C	B	B
3140			0.4		G	D			
3150			2.4		G	B	C	B	B
3220			72.68		G	B	C	C	C
6410			26.36		G	B	C	A	B
6430			0.06		G	B	C	C	C
6510			20.0		G	C	C	B	C
7220			1.9		G	A	C	B	B
9110			2.6		G	B	C	B	B
9130			64.0		G	B	C	A	B
9150			0.88		G	B	C	C	C
9180			7.6		G	B	C	C	B
91E0			274.5		G	B	B	B	B
91F0			18.91		G	B	B	B	B

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D			
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A295	Acrocephalus schoenobaenus			r	0	1	i		G	D			
B	A168	Actitis hypoleucos			c				P	G	C	C	C	C
B	A168	Actitis hypoleucos			r	2	2	p		G	C	C	C	C
B	A229	Alcedo atthis			p	3	5	p		G	C	B	C	B
B	A052	Anas crecca			p	1	4	p		G	C	B	C	B
B	A052	Anas crecca			c	1	4	p	P	G	C	B	C	B
B	A052	Anas crecca			w	1	4	p	P	G	C	B	C	B
B	A055	Anas querquedula			c				P	G	C	B	C	C
B	A051	Anas strepera			c				P	G	C	B	C	C
B	A051	Anas strepera			w				P	G	C	B	C	C
B	A028	Ardea cinerea			c	0	1	i	P	G	C	B	C	B
B	A028	Ardea cinerea			p	0	1	i		G	C	B	C	B
A	1193	Bombina variegata			p	20		i		M	C	B	C	B
B	A021	Botaurus stellaris			w	1	2	i		G	C	B	C	B
B	A215	Bubo bubo			p	0	1	p		G	C	C	C	C
B	A067	Bucephala clangula			w				P	G	B	B	B	B
B	A067	Bucephala clangula			r	0	1	p		G	B	B	B	B
M	1337	Castor fiber			p				P	G	A	A	A	A
B	A136	Charadrius dubius			r	2	3	p		G	C	C	C	C
B	A031	Ciconia ciconia			c	1	2	i		G	D	B	B	B
B	A030	Ciconia nigra			c	4	4	i		G	C	B	B	B
B	A030	Ciconia nigra			r	0	1	i		G	C	B	B	B
B	A081	Circus aeruginosus			c	1	2	i		G	C	B	C	B
B	A081	Circus aeruginosus			r	0	1	p		G	C	B	C	B
B	A082	Circus cyaneus			c	2	2	i		G	D			
B	A207	Columba oenas			r	5	6	p		G	C	B	C	B
F	1163	Cottus gobio			p				P	M	C	B	C	C
B	A122	Crex crex			r	0	1	i		G	D			
I	1086	Cucujus cinnaberinus			p				P	M	C	C	B	C
B	A038	Cygnus cygnus			w	1	1	i		G	D			
B	A238	Dendrocopos medius			c				R	G	D			

B	A236	Dryocopus martius			p	4	5	p		G	C	A	C	A
B	A027	Egretta alba			w	1	2	i		G	C	B	C	C
B	A027	Egretta alba			c	3	9	i		G	C	B	C	C
B	A381	Emberiza schoeniclus			r	6	6	i		G	C	B	C	B
B	A103	Falco peregrinus			c	1	1	i		G	D			
B	A099	Falco subbuteo			r	1	2	p		G	C	A	C	A
B	A097	Falco vespertinus			c				R	G	D			
B	A322	Ficedula hypoleuca			r	0	1	p		G	D			
B	A075	Haliaeetus albicilla			w	1	1	i		G	D			
B	A251	Hirundo rustica			c				P		D			
F	1105	Hucho hucho			p				P	M	C	C	A	C
B	A338	Lanius collurio			r	6	6	p		G	C	A	C	B
B	A340	Lanius excubitor			w	1	1	i		G	C	B	C	B
B	A182	Larus canus			w	10	10	i		G	D			
B	A291	Locustella fluviatilis			r	0	1	p		G	D			
B	A290	Locustella naevia			r	13	13	p		G	C	B	C	B
B	A272	Luscinia svecica			r	0	1	i		G	D			
I	1061	Maculinea nausithous			p	51	100	i		G	C	A	C	A
B	A070	Mergus merganser			w				P	G	B	B	C	B
B	A070	Mergus merganser			r	8	8	p		G	B	B	C	B
B	A073	Milvus migrans			c	2	2	i		G	C	B	C	C
B	A073	Milvus migrans			r	0	1	i		G	C	B	C	C
B	A074	Milvus milvus			c	1	1	i		G	D			
B	A319	Muscicapa striata			r	8	9	p		G	C	A	C	A
B	A094	Pandion haliaetus			c	1	1	i		G	C	B	C	B
B	A072	Pernis apivorus			r	4	5	p		G	C	A	C	A
I	6177	Phengaris teleius			p	10	50	i		G	C	A	C	B
B	A234	Picus canus			p	6	7	p		G	C	B	C	B
B	A119	Porzana porzana			c				R		D			
B	A118	Rallus aquaticus			r	3	3	p		G	C	B	C	B
F	5339	Rhodeus amarus			p				R	G	C	C	B	C
B	A249	Riparia riparia			c				P		D			
F	5329	Romanogobio vladykovi			p				V	G	C	C	A	C
B	A275	Saxicola rubetra			r	0	1	p		G	D			
B	A307	Sylvia nisoria			r	0	1	p		G	D			
B	A166	Tringa glareola			c	0	4	i		G	D			

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site			Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
A		Bufo bufo						P			X			
B		Cinclus cinclus			1	1								X
B		Corvus monedula			7	8								X
P		Epipactis palustris						V			X			
A		Hyla arborea						P			X			
B		Picus viridis			4	5								X
P		Primula farinosa						P			X			
A		Rana temporaria						P			X			
P		Schoenus ferrugineus						P			X			
A		Triturus alpestris						P			X			
A		Triturus vulgaris						P			X			

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N16	85.0
N20	6.0

N06	2.0
N14	5.0
N10	2.0
Total Habitat Cover	100

Other Site Characteristics

Die Salzach fließt rezent in einem schmalen, zum Teil durch Ufersicherungen eingeeengten Flussbett. Die begleitenden Auwälder werden nur noch teilweise von den Hochwässern der Salzach beeinflusst. Von Bedeutung sind die von den Hängen zufließenden Kleingewässer, die den Grundwasserkörper speisen. Die Ettenau steht mit ihren Wäldern teilweise am Übergang zwischen rezenten Grauerlen- und Eschenauen zu austrocknenden, degenerierenden Autypen mit Heißländen, wie sie in Oberösterreich an der Traun ausgebildet sind. Eine Heißländentwicklung hat aber noch nicht eingesetzt. Der systematische Status der Kammolch-Population (*Triturus carnifex* - *Triturus cristatus* Hybridpopulation?) ist ungeklärt.

4.2 Quality and importance

Die Auwälder weisen eine gute Lebensraumeignung für den Biber und verschiedene Wald- und Wasservogelarten auf. Große Bedeutung als Rast- und Überwinterungsplatz für Wasservögel.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	B01		o
L	G01.02		i
L	F03.01		o
L	F02.03		i
L	F03.01		i
L	E01.03		o
L	B01		i
L	F02.03		o
L	A03		o

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
L	E01.03		o
L	A03		i
L	A03		o

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.5 Documentation

Krisai, R., 1996: Das oberösterreichische Salzachtal von der Moosach bis zum Inn. -Studie i.A.d. Oö.Landesregierung/Naturschutzabteilung, 124S, Braunau. Sieber, J. & F. Bratter, 1988: Die Säugetierfauna der Oö. Salzachauen. -Unpubl. Studie i.A.d. Oö.Landesregierung/Naturschutzabteilung, 31S, Linz. Krisai, R., 1992: Die Pflanzendecke des Bezirkes Braunau am Inn. -In: Der Bezirk Braunau am Inn: 103-128, Oö.Landesverlag.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
AT03	100.0				

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Amt der Oö.Landesregierung, Abteilung Naturschutz
Address:	Bahnhofplatz 1 A-4021 Linz

Email:

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/>	Yes	Name: Mörtelmaier Th. 2008: Landschaftspflegeplan "Ettenau AT3110000" Link: http://
<input type="checkbox"/>	No, but in preparation	
<input type="checkbox"/>	No	

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).